

Product Information

BKT IP66 Box for 2 keystone modules

Card No.: PI_BOX_IP66_113311X0_01.21



Application

The housing's design enables to build IT connection points in workshop and industry environment where there is heavy dust or high humidity. BKT IP66 solutions are most often used in industrial sites at production lines, warehouses, laboratories, airports and schools. The box is available in two versions: surface-mounted and flush-mounted. The box should be equipped with an angular or flat adapter that allows the installation of two modules in the keystone standard. It is recommended to use angled adapter that ensures installation of keystone modules at the right angle so that the installation cables terminated on the modules and connecting cables plugged into the socket would not break cables while the box is closed.

Features

- Designed for placing IT connection points in humid and dusty environment
- Installation of max two IT sockets
- Designed for modules in keystone standard
- The boxes are equipped with side pre-punched blankings that enables to breakdown and to introduce the installation cables (M20)
- Material: thermoplastic, UV and chemicals resistant
- Dimensions (width x height x depth):
 - surface mount box - 95 x 95 x 40 mm
 - flush mount box - 150 x 150 x 47 mm
 - frame with cover - 95 x 95 x 57 mm
- Colour grey RAL 7035

Standards

- EN 50173-1
- EN 50173-3
- EN 60669-1
- EN 60670-1
- IEC 60884-1
- EN 60529
- IEC 60529
- ISO/IEC 24702
- ANSI/TIA - 1005



Product Information


BKT IP66 Box for 2 keystone modules

Card No.: PI_BOX_IP66_113311X0_01.21

Physical and mechanical properties

Protection degree	IP66
Mechanical resistance:	IK07
Temperature resistance	650°C
Installation temperature	-5°C - +60°C
Operating temperature	-20°C - +60°C
Colour	Grey RAL 7035

Dimensions [mm]



Product Information

BKT IP66 Box for 2 keystone modules

Card No.: PI_BOX_IP66_113311X0_01.21

Performance / Variants

Index	Product description
11331130	Surface mount box BKT IP66
11331140	Flush mount box BKT IP66

Optional Accessories

Index	Product description
11331120	Frame with cover BKT IP66
11330210	Angled adapter BKT for two keystone modules for frame with cover
11330211	Flat adaptor BKT 2xRJ45 for frame with cover IP66, plastic (2pcs)